The Looming Shadow: How Climate Change Casts a Long Shadow on Our Mental Health

Authors: Marjyada Medhi1, Prakyath Ravindranath Hegde2, Channaveerachari Naveen Kumar3

❑ **Affiliation:**

1 Clinical Psychologist, GS-NIMHANS Mental Health Programme, National Institute of Mental health and Neurosciences, Bangalore

2 Assistant Professor of Psychiatry, GS-NIMHANS Mental Health Programme, National Institute of Mental health and Neurosciences, Bangalore

3 Professor of Psychiatry, Head Community Psychiatry at National Institute of Mental health and Neurosciences, Bangalore and the Officer In Charge of COE in Mental Health under the National Program of Climate Change and Human Health, Govt. of India.

Introduction:

Climate change is no longer a looming threat; it is a harsh reality with consequences that ripple far beyond the environment. One of the most concerning aspects of this crisis is its insidious impact on our mental health. This impact is not limited to witnessing dramatic events like wildfires. It is a complex web woven from direct and indirect pathways, slowly eroding our well-being.[1]

❑ Direct Pathways: When Disaster Strikes

The fury of nature unleashed by climate change takes the form of increasingly frequent and intense floods, cyclones, and wildfires. These events leave a devastating mark on physical landscapes and the minds of those who experience them.

Direct exposure to such disasters can trigger mental health issues like post-traumatic stress disorder (PTSD), anxiety, and depression; losing homes, loved ones, and livelihoods can lead to overwhelming feelings of grief, despair, and helplessness[2][3][4]. The displacement caused by these events further disrupts social support networks, making rebuilding an even more daunting task with a heavy toll on mental well-being.

❑ Indirect Pathways: A Chain Reaction

Climate change's influence on mental health goes beyond the immediate aftermath of disasters. It operates through various indirect pathways, subtly eroding our well-being over time. Here, we explore four vital indirect pathways:

1. **Biological Pathway**: Climate change disrupts the delicate balance of our environment, leading to increased exposure to heat stress, air pollution (including ozone and toxins), and vector-borne diseases. This, in turn, can have a detrimental effect on our physical health, which can then impact our mental well-being. Studies have shown a correlation between exposure to extreme heat and increased rates of suicide.[5] [6]
2. **Cognitive Pathway**: The cognitive burden of climate change is substantial. Witnessing environmental degradation, the loss of biodiversity, and the threat to future generations can trigger feelings of

despair, hopelessness, and a unique form of grief - ecological grief[7]. The constant worry about the future impacts of climate change can further contribute to anxiety and stress.

3. **Social Pathway**: Climate change weakens the fabric of communities. This can happen due to factors like displacement caused by extreme weather events, competition for dwindling resources leading to conflict, and the breakdown of traditional social support systems. These disruptions can lead to feelings of isolation, loneliness, and a loss of sense of belonging, all of which are major risk factors for mental health problems. [8]

4. **Emotional Pathway**: Climate change evokes a range of intense negative emotions, including fear, anger, guilt, and shame. These emotions can be overwhelming and lead to emotional dysregulation, anxiety, and depression. The feeling of powerlessness in the face of such a large-scale challenge can further exacerbate these negative emotions. [9]




Figure 1: Illustration of direct and indirect pathways to climate change and mental health effects

❑ A Tangible Example: The Interconnectedness

Imagine a farmer whose crops have been destroyed by a drought. This experience exposes him not only to the biological stress of heat and potential malnutrition (Biological Pathway) but also to financial hardship and loss of livelihood. These stressors can trigger feelings of despair and hopelessness (Cognitive Pathway), leading to depression and anxiety (Emotional Pathway). Additionally, the farmer might be forced to migrate, disrupting his social support network (Social Pathway). This complex interplay of factors highlights how climate change affects mental health through interconnected pathways.

❑ Building Resilience: A Ray of Hope

While the impact of climate change on mental health is significant, there are steps we can take to build individual and community resilience. These include:

- Promoting access to mental health services: Making culturally competent mental health services readily available is crucial for those impacted by climate change.
- Strengthening social support networks: Building strong community connections can provide a buffer against the negative impacts of climate change.
- Investing in climate adaptation: Investing in infrastructure and practices that help communities adapt to the changing climate can reduce the risk of disasters and associated mental health problems.
- Promoting climate education and awareness: Raising awareness about the mental health impacts of climate change can empower individuals and communities to prepare and cope.
- Individual coping strategies: Practicing mindfulness, relaxation techniques, and seeking social support can help individuals manage the stress and anxiety associated with climate change.

❑ Conclusion: A Collective Responsibility for a Brighter Future

Climate change is a multifaceted crisis that casts a long shadow on our mental well-being through direct and indirect pathways. Recognizing these pathways and their interconnectedness is crucial to developing effective strategies for mitigating the mental health impacts of a changing climate. Building resilience at individual and community levels is essential. This requires promoting access to culturally competent mental health services, strengthening social support networks, investing in climate adaptation, and fostering climate education and awareness. Additionally, individual coping strategies like mindfulness and relaxation techniques can empower individuals to manage the stress and anxiety associated with climate change.

We can navigate this challenge with greater collective strength by acknowledging the mental health dimension of climate change and taking proactive steps to build resilience. We have a responsibility to mitigate the environmental impacts of climate change and safeguard the mental well-being of present and future generations.

References

1. Berry HL, Bowen K, Kjellstrom T. Climate change and mental health: a causal pathways framework. Int J Public Health 2010;55(2):123–32.
2. Bromet EJ, Atwoli L, Kawakami N, Navarro-Mateu F, Piotrowski P, King AJ, et al. Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys. Psychol Med 2017;47(2):227–41.
3. Ahern M, Kovats RS, Wilkinson P, Few R, Matthies F. Global Health Impacts of Floods: Epidemiologic Evidence. Epidemiologic Reviews [Internet] 2005 [cited 2024 Apr 5];27(1):36–46. Available from: https://doi.org/10.1093/epirev/mxi004
4. Fritze JG, Blashki GA, Burke S, Wiseman J. Hope, despair and transformation: Climate change and the promotion of mental health and wellbeing. International Journal of Mental Health Systems [Internet] 2008 [cited 2024 Apr 5];2(1):13. Available from: https://doi.org/10.1186/1752-4458-2-13
5. Florido Ngu F, Kelman I, Chambers J, Ayeb-Karlsson S. Correlating heatwaves and relative humidity with suicide (fatal intentional self-harm). Sci Rep [Internet] 2021 [cited 2024 Apr 5];11(1):22175. Available from: https://www.nature.com/articles/s41598-021-01448-3
6. Padhy SK, Sarkar S, Panigrahi M, Paul S. Mental health effects of climate change. Indian J Occup Environ Med [Internet] 2015 [cited 2024 Apr 5];19(1):3–7. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4446935/
7. Cunsolo A, Ellis NR. Ecological grief as a mental health response to climate change-related loss. Nature Clim Change [Internet] 2018 [cited 2024 Apr 5];8(4):275–81. Available from: https://www.nature.com/articles/s41558-018-0092-2
8. Mushtaq R, Shoib S, Shah T, Mushtaq S. Relationship Between Loneliness, Psychiatric Disorders and Physical Health ? A Review on the Psychological Aspects of Loneliness. J Clin Diagn Res [Internet] 2014 [cited 2024 Apr 5];8(9):WE01–4. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4225959/
9. Doherty TJ, Clayton S. Psychological Impacts of Global Climate Change. American Psychologist 2011;